Vol. No.6, Issue No. 07, July 2017

www.ijarse.com



Analysis of Queuing System for Restaurant Using Arena Simulation Software

Ramandeep Kaur

Punjabi University Patiala, Punjab (India)

ABSTRACT

In restaurants waiting for service is a common process for the customers. There are some factors which need to be considered for a restaurant owner to attract the customers successfully. One of the factor is Queuing theory which is a study of waiting lines or queues. Implementing Queuing theory in operations of therestaurant may be beneficial to those who proactively desire to manage revenue. This paper will include the various facts and analysis of Queuing theory and Queuing models. The review will be done over the previous studies and researches performed by various authors. The results of findings of this review will be added in the further sections of this paper. On the basis of results and findings, a Queuing model will be proposed for further research to improve the performance of queuing systems in restaurants.

Index Terms- Arena Simulation, Arrival time, Customer Management, Queuing system, Service time and waiting time.

I. INTRODUCTION

1.1. Queueing system

A Queuing system includes one or more servers which offer service of some type to arriving customers. The arrived customers generally find all servers busy and join one or more queues or lines in front of the servers. Thisis referred to as aQueuing system. Some common examples of Queuing systems are bank-teller service, manufacturing systems, computer systems, communications systems, maintenance systems, and so on. Queuing system has some basic elements which are as follows [2]:

- (i) **A number of customers:** Customers arrives and joins a queue to access specific services in front of theserver. [6]
- (ii) **Arrival distribution:** when customers arrive, they join the queue if the server is busy and according to the probability distribution. [2]
- (iii) **Queue size:** Queue size is generally a length of a queue or line. It might be finite or infinite. Queue size together with server or servers forms the capacity of the system. [2]
- (iv) Service Distribution: The service distribution process also follows aprobability distribution. [6]
- (v) **Queuing discipline:** three types of Queuing disciplines are there: FIFO (First in First Out), LIFO (Last in First Out), and SIRO (Service in Random Oder). [6]

1.2. Customer Management

Customer management includes all the systems, processes, and applications required for managing the customer relationship. Customer loyalty and customer management are the important goals of almost all businesses to be

Vol. No.6, Issue No. 07, July 2017

www.ijarse.com

IJARSE ISSN (O) 2319 - 8354 ISSN (P) 2319 - 8346

successful. Customer management includes how to manage the customers by offering them better services. Effective Customer Management a company enables it to ensure the services they offer are inline what its customers want. The business which has clean, clear, accurate and correctly formatted data would be able to offer a good level of service while saving time and money.

1.3. Restaurant system

The Restaurant system involves the fast-food operations in which 'fast' refers to the 'quick service.' The customers arriving restaurant do not want to wait for a long time in queues to receive food services. The customers' waiting time to get food services becomes one of the important quality factors in afast-food restaurant. Waiting lines in fast-food restaurants always built in restaurants during peak hours. The queuing system of a restaurant can be simulated to study how to reduce the customer's waiting time. [5]

1.4. ArenaSimulation

Arena Simulation software is a commonly used Simulation based on Discrete Event simulation. Arena simulation is one of the most effective analysis tools used for the designing and operation of complex systems or processes. The arena is an easy-to-use and powerful simulation and modeling software tool which enables the user to build a simulation model and perform experiments on the model. Some basic steps to build a simulation model with Arena are as follows:

- 1. Construct a simple model: Arena includes a model window flowchart-style environment to construct a model. The user creates a process flow of the model.
- 2. Add data to model parameters: actual data can be added to the model, for example, processing time, resource demand, etc.
- 3. Perform simulation run: Run the simulation to examine the results:
- 4. Analysis of simulation results: Arena provides automatic reports to expand the statistics.
- 5. Modify and enhance the model as per user's needs.

II. RESEARCH METHODOLOGY

Different stages of research methodology are:

- The first stage involves that how many papers are published in which queuing system is used.
- The second stage involves distribution of papers over the years.
- The third stage is concerned with aclassification scheme.

2.1 Search selection

- IEEE Xplore (http://ieeexplore.ieee.org)
- Science Direct (www.sciencedirect.com)
- Springer (www.springerlink.com)
- http://www.iosrjournals.org
- International Journal of Recent Development in Engineering and Technology (www.ijrdet.com)
- International Journal of Science and Research (www.ijsr.org)

Vol. No.6, Issue No. 07, July 2017

www.ijarse.com

- International Journal of Market Research(www.ijmr.com)
- https://www.researchgate.net

The search engine of the above organisations gives number of studies, articles. Research paperspublished by journals, conference proceedings and workshops are supposed to be well-meaning and trustworthy.

Keyword based search is employed to select the most appropriate works. The keywords used are "Queuing system", "Restaurant", "Arena simulation software".

The rules used for prohibition of a research paper consist of unpublished papers, published papers, text-books, Master and Doctoral theses, non-peer-reviewed papers. Then illustrates the distribution of papers from 1972 to 2017.

In research methodology 3 tables are defined.

Table 1 illustrates the search strategy and number of resultsobtained. From the obtained results, inappropriate studies are excluded on the basis of title. That studies which could not be assessed from the title, and then their abstract is measured. If even abstract is notapparent then after reading the full text of papers, inappropriate studies are excluded. In some library searchwhen huge amount of studies revertedthen apply some advanced search.

Table 2 illustrates the distribution of papers over years from 1972 to 2017.

Table 3 describes the classification scheme. Table 3 defines the tools and techniques used in above studies.

Table 1 search selection

			Excluded	1			
			based				
S.		Studies	on	based on	based on		
no.	E-source	returned	thetitle	abstract	full text	Keyword used	
						Queuing m	odel,
						Restaurant, A	Arena
1	http://ieeexplore.ieee.org	2		2	2	simulation software	e
						Queuing m	odel,
						Restaurant, A	Arena
2	www.sciencedirect.com	20	2	3	5	simulation software	e
						Queuing m	odel,
						Restaurant, A	Arena
3	www.springerlink.com	2	1	1		simulation software	e
						Queuing m	odel,
						Restaurant, A	Arena
4	http://www.iosrjournals.org	1		1		simulation software	e

ISSN (O) 2319 - 8354

ISSN (P) 2319 - 8346

Vol. No.6, Issue No. 07, July 2017

www.ijarse.com

g	#
	IJARSE
ISSN	N (O) 2319 - 8354
ISSN	N (P) 2319 - 8346

	injuit series in	_	_	_			314 (1) 2319 - 0
						Queuing	model,
						Restaurant,	Arena
5	www.ijsr.org	1		1		simulation soft	ware
						Queuing	model,
						Restaurant,	Arena
6	www.ijrdet.com	1			1	simulation soft	ware
						Queuing	model,
						Restaurant,	Arena
7	www.ijmr.com	1			1	simulation soft	ware
						Queuing	model,
						Restaurant,	Arena
8	https://www.researchgate.net	3			1	simulation soft	ware
1	I	1	1		1		

1.1 Distribution of papers

Table 2. distribution of paper over the years																					
E-resource																					
	1972	1990	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
IEEE						1													1		
science direct	1	1		1			2				1	3		1			2	2	4	1	1
Springer																1					1
IOSR																		1			
IJSR																			1		
IJRDET																			1		
IJMR																	1				
ResearchGate			1															1	1		

II CLASSIFICATION SCHEME

The selected papers for review are categorized into three facets as tool, metric, and match detection. Table 3, 4, and 5 shows the details of aset of categories applied in each facet.

Table 3: Tool Facet

Tool/Algorithm	Description						
Arena simulation	This tool is a discrete event simulation						
Analytical model	This approach helps to analyze the model theoretically and mathematically						
Stochastic simulation	This tool helps to trace the evolution of variables which could vary stochastically with certain probabilities						

Vol. No.6, Issue No. 07, July 2017

www.ijarse.com



						10011 (1) 2017
MATLAB	This	tool	helps	for	computing	mathematical
	equat	ions				

Table 4: Metric Facet

Category	Description
Product	Measures the software product's size, complexity,
	efficiency, reliability, and performance.
Process	Measures the software process properties for defect
	removal and quality.
Project	Measures the software project's time, effort, and
	cost.
Object – oriented	Measures the reusability, maintainability, and
	understandability

Table 5: Match detection facet

Category	Description
Clustering	Build clusters with similar features.
Fingerprinting	Compute the numeric fingerprints
Visualization	Visualize the features using graphs or plots
Classification algorithm	Compareand classify models




Fig.1

Vol. No.6, Issue No. 07, July 2017 www.ijarse.com



3.1 TOOLS AND TECHNIQUES USED

After reviewing the existed models of Queuing system, this section of the paper will describe the finding of each model.

Table 6: Tools and techniques used in previous Queuing models

Author and Year	Method	Input	Output
Hwang, J., Gao, L., & Jang, W.	Queueing based	Change in	relative performance
(2010)	optimization model	demand, system	of the system in
	using quasi-birth-	congestion, and	terms of improved
	and-death process		service quality and
	and state-dependent		reduced cost.
	functions		
Arifin, M. Z., Probowati, B. D.,	PT XYZ path	number of	minimal cost to the
&Hastuti, S. (2015)	queuing system	arrivals per unit	queuing system
	(Multi-Channel	of time, Waiting	
	Model with four	time, queue	
	servers (M/M/4))	length,	
Buijsrogge, A., De Boer, P.,	Non-Markovian	Arrival process	Decay rates for N
Rosen, K., &Scheinhardt, W. (2017)	tandem queues	and service	customers
	model	processes	
Babicheva, T. (2015)	GI G ∞ Queuing	Service time,	minimized delays
	system	average waiting	
		time, and the	
		length of queues	
Wang, K., & Tai, K. (2000)	M/M/3 queueing	Number of	Optimum value of
	system with finite	customers,	number of
	capacity	number of	customers and
		servers, queue	servers; and
		length	maximize net profit
Vass, H., &Szabo, Z. K. (2015)	M/M/n queuing	Number of	Probability of
	model for	servers, service	entering patient
	Emergency	time, arrival rate,	(patient flow)
	Department	system	
		utilization	
Belciug, S., &Gorunescu, F. (2015)	M/PH/c queuing	Number of	Optimize bed
	model for bed-	patients, arrival	occupancy
	occupancy in	time, average	
	hospitals using	time spent	
	Genetic Algorithm		

Vol. No.6, Issue No. 07, July 2017

www.ijarse.com



	in Java		
Jain, M., Maheshwari, S.,	Queueing model	Service time,	throughput, mean
&Baghel, K. (2008).	with multiple	umber of	service time, mean
	discrete material-	material-	waiting time
	handling	handling devices,	
	devices(MHD)	Number of	
		processing	
		stations, and	
		Number of	
		pallets	
Bhaskar, V., &Lallement, P. (2010)	two-input, three-	the probability of	average minimum
	stage queuing	entering a new	response times,
	network	path, arrival rate,	average queue
		and service rates	lengths, and average
			waiting times
Komashie, A., Mousavi, A.,	queuing	Waiting time,	Patient satisfaction
Clarkson, P. J., & Young, T. (2015)	model using	service time,	level and Staff
	MATLAB		satisfaction level
Ghaleb, M. A., Suryahatmaja, U. S.,	Queuing model	Average service	average waiting time
&Alharkan, I. M. (2015)	using Arena	time, average	in
	simulation	idle time, and	system and the
		average waiting	average number of
		time	students in queues
Brann, D., &Kulick, B. (2002)	Queuing model	transaction data	Maximize sales
	ARENA	and arrival rate	volume
	Simulation		
Tyagi, A., Saroa, M.S. & Singh, T.P.	A stochastic model	utilization rate,	Increase the quality
(2014)	for thequeuing	waiting time	of service
	system. Data	queue length and	
	collected using	the probability of	
	Little's formulae	potential	
		customers to balk	
	I .	1	

III. COMPARATIVE ANALYSIS

The objective of this paper is to review the Queuing models designed and simulated to evaluate the performance in terms of waiting time, service time, system efficient, productivity, etc. Queuing theory involves the study of waitingfor lines or queuing. Some of the methods and techniques used in the previous studies include the analysis of expected waiting time, theaverage time in the system, expected the number of customers, expected

Vol. No.6, Issue No. 07, July 2017

www.ijarse.com

IJARSE ISSN (O) 2319 - 8354 ISSN (P) 2319 - 8346

queue length, and theprobability of new customers. The comparative analysis of the above mentioned Queuing models under review differs with respect to the tools and techniques they used.

The model presented by *Hwang, J., Gao, L., & Jang, W. (2010)* relates the demand changes with respect to the system congestion state on thereal-time dynamic basis. It can be seen in the parameters of all queuing theory under review that the expected number of waiting time reduces with respect to the number of servers. Wang, K., & Tai, K. (2000) proposed an M/M/n queuing model for Emergency Department by taking a number of customers and number of servers as input parameters. The results of this study shown that to obtain a maximize net profit, the optimum value of a number of customers and serversare needed to be considered.

IV. FINDINGS

From the literature review and comparative analysis performed in above sections of this paper, it is found that many types of research have done over the Queuing models to improve the performance of customer service systems in various fields such as banking, manufacturing industries, hospitals, restaurants, etc. This study found that in order to improve the performance of restaurant processes, some of the factors are required to consider. These factors include average queue length, waiting time to customers, system utilization, thenumber of servers with respect to theaverage number of customers. For this purpose, queuing model is a suitable approach to understanding how to reduce the waiting time of customers by getting an optimal number of servers at a minimum total cost.

V. DISCUSSION

The effect of queuing related to the time spent by customers to access services is increasingly emerging as a major concern to many fast-food restaurants owners. This is because as the customers too long waiting time could result in ahuge cost to them, which is waiting for thecost. Giving too much service capacity of the system includes an excessive cost. However, not giving enough capacity of the system results in waiting time and waiting for thecost. In this paper, many queuing characteristics are reviewed which are analyzed by different authors using various Queuing models.

VI. CONCLUSION/FUTURE SCOPE

Many types of research have previously applied Queuing theory to simulate a model of restaurant operation to reduce cycle time in busy fast food restaurants and increase efficiency. In this paper, we reviewed different Queuing models developed to increase service management in busy restaurants. We evaluated different models in terms of average service time, average idle time, and theaverage waiting time at the cash counter. All these parameters will be evaluated to propose a new Queuing model for a restaurant.

REFERENCES

- [1] Hwang, J., Gao, L., & Jang, W. (2010). Joint demand and capacity management in a restaurant system. *European Journal of Operational Research*, 207(1), 465-472.
- [2] Arifin, M. Z., Probowati, B. D., & Hastuti, S. (2015). Applications of Queuing Theory in the Tobacco Supply. Agriculture and Agricultural Science Procedia, 3, 255-261.

Vol. No.6, Issue No. 07, July 2017

www.ijarse.com

IJARSE ISSN (O) 2319 - 8354 ISSN (P) 2319 - 8346

- [3] Buijsrogge, A., De Boer, P., Rosen, K., &Scheinhardt, W. (2017). Large deviations for the total queue size in non-Markovian tandem queues. *Queueing Systems*, 85(3-4), 305-312.
- [4] Babicheva, T. (2015). The Use of Queuing Theory at Research and Optimization of Traffic on the Signal-controlled Road Intersections. *Procedia Computer Science*, *55*, 469-478.
- [5] Wang, K., & Tai, K. (2000). A queueing system with queue-dependent servers and finite capacity. *Applied Mathematical Modelling*, 24(11), 807-814.
- [6] Vass, H., &Szabo, Z. K. (2015). Application of Queuing Model to Patient Flow in Emergency Department. Case Study. *Procedia Economics and Finance*, 32, 479-487.
- [7] Cohen, J. (1973). Asymptotic relations in queueing theory. *Stochastic Processes and their Applications*, 1(2), 107-124.
- [8] Belciug, S., &Gorunescu, F. (2015).Improving hospital bed occupancy and resource utilization through queuing modeling and evolutionary computation. *Journal of Biomedical Informatics*, 53, 261-269.
- [9] Jain, M., Maheshwari, S., &Baghel, K. (2008). Queueing network modeling of flexible manufacturing system using mean value analysis. *Applied Mathematical Modelling*, 32(5), 700-711.
- [10] Bhaskar, V., &Lallement, P. (2010). Modeling a supply chain using a network of queues. *Applied Mathematical Modelling*, 34(8), 2074-2088.
- [11] Tsiotras, G. (1990). Modeling and analysis of multiple-class tandem queuing systems with finite capacities. *Mathematical and Computer Modelling*, 13(2), 1-7.
- [12] Komashie, A., Mousavi, A., Clarkson, P. J., & Young, T. (2015). An Integrated Model of Patient and Staff Satisfaction Using Queuing Theory. *IEEE Journal of Translational Engineering in Health and Medicine*, 3, 1-10.
- [13] Ghaleb, M. A., Suryahatmaja, U. S., & Alharkan, I. M. (2015). Modeling and Simulation of Queuing Systems using arena software: A case study. 2015 International Conference on Industrial Engineering and Operations Management (IEOM).
- [14] Brann, D., &Kulick, B. (2002). Simulation of restaurant operations using the Restaurant Modeling Studio. *Proceedings of the Winter Simulation Conference*, 1448-1453.
- [15] Tyagi, A., Saroa, M.S. & Singh, T.P. (2014). Application of a Stochastic queue model in a restaurant a case study. *Aryabhatta Journal of Mathematics & Aryabhatta Journal of Mathematics & Informatics*, Vol. 6 (1).
- [16] Ahsan, M. M., Islam, M. R., & Alam, M. A. (2014). Study of Queuing System of a Busy Restaurant and a Proposed Facilitate Queuing System. IOSR Journal of Mechanical and Civil Engineering, 11(6), 31-35.
- [17] Bisoniya, T. S., Patidar, L., & Abhishek, A. (2014). Queuing Theory: A Case Study to Improve the Quality Services of a Restaurant.
- [18] Oladejo, M. O., Agashua, N. U., & Eamp; Tamber, J. A. (2015) Optimizing the Queueing System of a Fast Food Restaurant: A Case Study of Ostrich Bakery. ISSN 2347 6435, 4(8).
- [19] Chou, C., & Liu, H. (1999). Simulation Study on the Queuing System in a Fast-Food Restaurant. *Journal of Restaurant & Foodservice Marketing*, 3(2), 23-36.

Vol. No.6, Issue No. 07, July 2017

www.ijarse.com



- [20] Abubakar, U. M., Kabara, S.R., Mustapha, U.T., & Musa, M.G. (2015). Application of Queuing Model in a Restaurant (A Case Study of Kalinga Restaurant). *International Journal of Science and Research*, 5(11).
- [21] Debjit Roy, ArindamBandyopadhyay, Pritam Banerjee(2016). A nested semi-open *queuing* network model for analyzing dine-in *restaurant* performance. *Computers & Operations Research*.
- [22] AlindaKokkinou, David A. Cranage (2013). Using self-service technology to reduce customer waiting times. *International Journal of Hospitality Management*.
- [23] VijayaChebolu-Subramanian, Gary M. Gaukler (2015). Product contamination in a multi-stage food supply chain. *European Journal of Operational Research*.